



Application Decommissioning

The practical alternative to legacy 'life support'

A guide to successful application decommissioning and how to choose the right approach for your business



Contents

THE PROBLEMS OF LEGACY ‘LIFE SUPPORT’	3
WHAT IS APPLICATION DECOMMISSIONING?	4
THE BENEFITS OF APPLICATION DECOMMISSIONING	5
THE DRIVERS FOR APPLICATION DECOMMISSIONING	6–7
Business risk	6
Rising costs	6
Compliance concerns	6
The drive for innovation	7
Customer experience	7
User experience	7
Business Intelligence	7
BUILDING THE BUSINESS CASE	8
EVALUATING DECOMMISSIONING APPROACHES: THE KEY REQUIREMENTS	9–11
Accessibility	9
Data reliability	9
Data integrity	9
Usability	10
Compliance and information lifecycle management	10
Performance	10
Risk management	10
Low total cost of ownership	11
Security	11
THE SOFTLANDING APPROACH	12–15
Our application decommissioning process, step by step	12–15
HOW SOFTLANDING MEETS THE KEY DECOMMISSIONING REQUIREMENTS	16–18
THE SOFTLANDING DIFFERENCE	19

INTRODUCTION:

THE PROBLEMS OF LEGACY 'LIFE SUPPORT'

Most organizations have at least one application on 'life support'. Some have hundreds. Known as legacy applications, they are no longer being updated with live data – either because they have been replaced by new software or are simply no longer needed.

The majority of legacy applications cannot be switched off because they still contain valuable business data. The data might be required for operational reasons, such as answering customer enquiries. Or it might be needed for compliance – perhaps to meet a statutory obligation to retain customer data for a number of years. It might simply be considered too risky to discard: an irreplaceable wealth of historical information that could deliver important business insights.

Whatever the reasons for keeping legacy applications on life support, the problems cannot be ignored. High running costs and support overheads hamper innovation; access problems impact customer service; and a shortage of legacy IT skills increases business risk.

Application decommissioning offers a solution.

WHAT IS APPLICATION DECOMMISSIONING?

Application decommissioning is the process an organization can use to retire one or more applications, together with any supporting hardware and software, while keeping the data accessible in order to maintain business continuity.

An application decommissioning program relies on technology, in the form of an online repository for storing the data. Equally important, but often overlooked, is the process that is followed. This comprises a set of steps to ensure that the right data is retained, in the correct business context, so that it remains meaningful to business users long after the legacy application is gone.

THE BENEFITS OF APPLICATION DECOMMISSIONING

No two decommissioning projects are exactly the same. The drivers, solution and benefits will all vary according to the nature of the particular legacy application and the problems the organization needs to address.

Nevertheless there are three core benefits that any application decommissioning program should deliver:

- Direct savings through the elimination of legacy support and maintenance costs
- Efficiency gains by delivering easier access to historical business data
- Regulatory compliance through the application of retention rules to manage data securely throughout its lifecycle

THE DRIVERS FOR APPLICATION DECOMMISSIONING

Applications regularly become redundant as a result of normal business and IT practices, such as:

- Mergers and acquisitions creating duplication
- Certain business functions ceasing to operate, or being divested
- Applications being replaced with more up-to-date alternatives such as ERP systems
- Streamlining operations by consolidating multiple instances of the same application

While the original application itself may be surplus to requirements, some or all of the data created by the application will typically be needed by the business. It is rarely practical to move all of the historical data across to the new, 'live' replacement application, due to the negative impact on performance, additional costs, and technical difficulties associated with converting the data.

If no alternative solution is found, the application will have to remain on 'life support' in order to keep the data accessible. Problems start to mount up and ultimately become powerful drivers for decommissioning.



BUSINESS RISK

The IT skills required to maintain legacy systems are usually in short supply. If available at all they will be costly. It is not uncommon for there to be no-one left in the organization who is familiar with the original application. This increases the risk of unacceptable delays if a system problem needs fixing. Or worse, it could reach the stage where a problem cannot be fixed at all, and access to the application is lost. Legacy applications may only work with older or unsupported operating systems and databases, which are more vulnerable to security threats.



RISING COSTS

Keeping legacy applications running purely to view historical data is an expensive undertaking. Software and hardware maintenance charges and data center overheads add up to significant recurring costs. In some instances, packaged software vendors will charge more for supporting older versions. The extra time involved in resolving problems with older and less familiar systems can also create disproportionately high support costs.



COMPLIANCE CONCERNS

Around the world there are rising concerns about data governance. Regulations such as the GDPR, Sarbanes-Oxley and HIPAA have forced businesses to pay closer attention to the way they manage data and protect data privacy.

Older applications do not always provide the granular levels of security required to limit access to sensitive data, and may be incompatible with modern access mechanisms such as multi-factor authentication.

Businesses must also balance the twin priorities of data minimization and compliance with long-term statutory retention periods. A legacy system usually lacks the necessary controls to achieve this, whereas a purpose-built decommissioning repository should incorporate information lifecycle management capabilities to handle data retention, data destruction at end of life, eDiscovery and legal hold.



THE DRIVE FOR INNOVATION

Supporting legacy systems is a distraction from new IT initiatives. Decommissioning legacy applications releases IT personnel from firefighting problems on systems that have little strategic value to the business; it reduces support overheads so that the IT team can re-focus its energies on innovation rather than 'keeping the lights on'.



CUSTOMER EXPERIENCE

Legacy systems are islands of information, isolated from the new applications that have replaced them. Servicing customer requests is slower and less efficient if front office workers must log in to one or more legacy applications to access customer information. It is particularly difficult to maintain a seamless service following mergers and acquisitions if pre- and post-merger data is held on two or more different systems. Online self-service also becomes problematic if customers are unable to see all their current and historical account information.

A legacy content repository provides secure access to all historical information in one place. It can also be integrated with core business applications to create a 'single customer view': a complete record of all interactions with each customer that can be consulted in order to improve and personalize service.



USER EXPERIENCE

Older applications may pre-date modern access methods such as web and mobile working and frequently are difficult to integrate with other systems. Moving data to a legacy content repository with in-built web and mobile interfaces enables businesses to modernize access. Decommissioning offers a way to provide a better user experience without developing a bespoke application or new user interface to access the data. Modern integration mechanisms such as web services permit easy integration with third party applications.



BUSINESS INTELLIGENCE

Most organizations have a treasure trove of operational and customer data hidden away in legacy systems: years or even decades worth of priceless historical information. It could deliver valuable business intelligence – if only it was easier to analyze. Decommissioning offers a way to bring together information from diverse systems, in diverse formats, into a single location. Once pooled, the data can be mined using analysis tools, or interrogated using artificial intelligence.

BUILDING THE BUSINESS CASE

Often the hardest part of a decommissioning program is getting it off the ground.

For organizations considering decommissioning for the first time it can be difficult to know where to start as there could be many applications suitable for retirement.

The first step is for a senior business or IT executive to take ownership of the program.

Another important step is to engage with business stakeholders. It is advisable to build a decommissioning team that includes representatives from the business as well as IT. Business representatives are key to the success of any decommissioning project as they will be in the best position to explain how the legacy applications are being used and what information will be needed from them in the future.

The team should classify applications against an agreed set of criteria in order to build a compelling business case and prioritize those applications where decommissioning will deliver the greatest return.

SoftLanding has developed a set of common criteria against which individual applications can be assessed and prioritized. This is based on practical experience gained through conducting successful decommissioning projects with companies in all major business sectors.

Examples include:

- **Timing:** is there a compelling event approaching such as an imminent hardware or software upgrade?
- **Technical risk:** what is the impact of technical problems and resourcing issues?
- **Business risk:** what factors could affect operational performance or customer service?
- **Hardware and software costs:** what are the true costs of running the application and its underlying infrastructure, and which could be eliminated?
- **Usage:** how many business users need access to the application, and what for?

As part of the business case the organization will also need to assess the relative benefits and costs of potential decommissioning approaches.

EVALUATING DECOMMISSIONING APPROACHES: THE KEY REQUIREMENTS

Any organization embarking on a decommissioning program will need to follow a methodical process, and use appropriate supporting technology, to ensure business continuity.

Any decommissioning solution should meet the following core requirements:

► ACCESSIBILITY

The biggest challenge with application decommissioning is ensuring that the data remains easily accessible to end users within the business, and external users such as auditors. Historical information is frequently accessed as part of core business processes, which must not be adversely affected.

It is essential that the decommissioning solution allows the business users to obtain all of the information they can get from their current applications, as easily as they do today, or preferably more easily, using modern access methods such as web and mobile interfaces. Application programming interfaces (APIs) should also be available, to enable integration with other business applications.

► DATA RELIABILITY

Business applications apply calculations, logic and other business rules to application data as part of the end user experience. For example, a status code '1' from a database table might be displayed on screen as the word 'active' and a status of '2' may be translated into the word 'closed'. Understanding and applying these rules is essential to ensure that the data will always be recreated accurately and meaningfully at the point of access. To avoid business risk, all additional application logic should be captured during the decommissioning process rather than relying on users or IT personnel with detailed application knowledge being available in the future.

► DATA INTEGRITY

To maintain an accurate record, and for compliance purposes, it is essential that the application data cannot be changed once it has been decommissioned. Any solution should provide tamper proofing and non-repudiation measures at a software and hardware level.

► **USABILITY**

The chosen data repository should be easy for staff around the business to use without the need for technical skills, prior knowledge of the original system, or reliance on the IT helpdesk. To support customer service, auditing and compliance, the data should be quick to retrieve. Staff turnover is a key issue when it comes to accessing historical information over long retention periods – for example seven years plus. Future users may have no experience of the original application so the data must be presented in context to make it self-explanatory. The solution should also provide capabilities for analyzing data to provide business intelligence where required.

► **COMPLIANCE AND INFORMATION LIFECYCLE MANAGEMENT**

Many regulations – as well as sound business practice – require data to be retained for specific periods and then destroyed at the end of its useful and legal lifetime. Organizations should ensure that their chosen decommissioning solution enforces corporate data retention policies, and allows information to be accessed and preserved for eDiscovery and legal hold purposes. This approach minimizes data storage requirements, fulfills statutory compliance obligations, and reduces risk in the event of audit and legal investigations.

► **PERFORMANCE**

Initially, application data may need to be accessed regularly by business users after the original application has been decommissioned. A call center delivering customer service following an acquisition is a typical example of this. Normally access to historical data also reduces over time. Any solution should therefore be scalable (both up and down) to cope with changes in storage and access requirements.

Organizations planning to retire more than one application should select a content repository that can support multiple decommissioned systems without impacting performance. The stored data should preferably be compressed to provide savings in storage space.

► **RISK MANAGEMENT**

A common reason for organizations deferring decommissioning initiatives is the perceived risk of losing data or disrupting business activities during and after decommissioning. Following an effective decommissioning process is important to ensure that these issues are managed.

► LOW TOTAL COST OF OWNERSHIP

Long-term cost reduction is a realistic aim for any decommissioning project. As well as eliminating the licensing and maintenance costs of the original application it is possible to minimize the ongoing cost of retaining the application data in three key areas:

Hardware

An open systems platform is usually the most cost effective for the new content repository, along with the ability to host data from multiple decommissioned applications on a single platform.

Software

Choosing a solution with low support and upgrade costs and no expensive third-party pre-requisites, such as databases, will reduce ongoing costs; software that can fulfill additional information management requirements besides decommissioning will also have a lower total cost of ownership.

Services

Some decommissioning approaches involve a greater investment of technical skills over the long term. Including activities such as processing and reformatting data up front, as part of the initial decommissioning project, will eliminate the need for regular IT involvement in the future.

► SECURITY

Security considerations encompass four key areas:

- **User authentication** – preventing unauthorized access to legacy data by deploying advanced mechanisms, such as multi-factor authentication and biometrics, to confirm the identity of system users
- **User access rights** – protecting data by restricting access to different categories and subsets of data by individual users and groups
- **Data segregation** – managing storage of different classes of data in separate locations and on a variety of storage media, for physical security or compliance
- **Data security** – ensuring that the physical data is secured using approaches such as encryption, tamper-proof storage hardware and non-repudiation

THE SOFTLANDING APPROACH

Our decommissioning solution comprises a unique eight-step process in combination with the Columbus enterprise information management suite.

The eight-step process ensures business continuity by incorporating all business needs for use of the application data into the final decommissioning solution. No previous business application knowledge will be needed to use or support the system in the future.

The Columbus content repository is the final resting place for the decommissioned data. It can be used to store any data from any application running on any platform, together with unstructured content such as documents, images, video, chat and sound recordings.




Figure 1: The SoftLanding eight-step decommissioning process

THE SOFTLANDING APPLICATION DECOMMISSIONING PROCESS, STEP BY STEP

Step 1

Business analysis

SoftLanding runs a workshop to analyze the customer's business requirements and understand uses for the data such as:

- Which data needs to be retained, and for how long
- How users work with the application and how they navigate between screens
- What queries or reports users run to obtain information from the application

Step 2

Systems analysis

Systems analysis defines the technical scope of the task, including the location and format of the data, which could exist in a range of structured formats such as data files and database tables, as well as unstructured formats. Any business rules for processing the data are also identified, which are applied at step four, below.

Step 3

Data extraction

Data from the legacy system is extracted in the best and simplest way possible to meet the data retrieval and compliance needs of the business. This may include, for example, historical transactional data in the form of database records, and documents such as invoices in a print-spool format. Redundant or system-only data is not extracted, to minimize storage requirements.

Step 4

Data processing

In cases where an application applies business logic to the underlying data in order to display more meaningful information to the user (for example by translating a code into a word, or calculating totals), these business rules are applied during the data processing stage. This ensures users will understand what they see on the screen without the need for prior knowledge.

Step 5

User access design

There are three options for creating visual layouts of the data:

Business application view

Views are designed that replicate the original application screens in order to ensure continuity for users. Screens can also be merged and layouts changed as required to improve usability and accessibility.

Data view

If the application data will only rarely be accessed by business users it is often sufficient for it to be displayed in standard, human-readable formats such as lists and tables. These simpler views are created automatically, skipping the screen design phase.

Document view

Content that is already pre-formatted, such as documents, images and video, can be stored in its original format, with no further processing required, and accessed alongside application data in the same system.

Step 6

User acceptance testing

A prototype system is created using sample data and tested by business users. They work through typical scenarios, searching for information using a range of selection criteria, to satisfy themselves that they can easily access all of the information they need. For example, in the case of a customer billing application the user might search by 'customer', 'account code' or by numerical values such as the bill total or line items.

Step 7

Data transfer

On successful completion of user acceptance testing, all of the application data is processed to create meaningful output, which is then compressed, indexed and transferred to the Columbus content repository. The data is stored in a read-only format, with appropriate retention rules and access permissions applied. The repository can be accessed directly, integrated with other applications, such as call center and ERP systems, and mined to produce business intelligence.

Step 8

Application retirement

Once the data has been transferred to the Columbus content repository the original application can be retired, together with any supporting hardware and software, allowing the organization to realize the benefits identified in the business case.

HOW SOFTLANDING MEETS THE KEY DECOMMISSIONING REQUIREMENTS

Our solution has been designed to meet all of the business requirements for successful decommissioning identified earlier in this document.

► **ACCESSIBILITY**

Business users can continue to retrieve information easily as all enterprise data from all decommissioned applications is available in one place. The Columbus content repository can be accessed using its own web interfaces and mobile app, while standard APIs allow third-party applications to access historical data seamlessly, without users needing to log into a separate system.

► **DATA RELIABILITY**

Any business logic required to present information to the user in a meaningful form is logically embedded in the stored data. This eliminates the risk of losing the ability to understand, interpret and correctly use the data if application or data knowledge is lost from the business in the future.

► **DATA INTEGRITY**

All information from the decommissioned application is held in a secure, access controlled, read-only format with no opportunity to tamper with the data.

► **USABILITY**

Columbus is simple and intuitive to use. Presenting data in a meaningful business context ensures that no additional application knowledge or training will be required. Business application views look familiar to users because they mirror the original screen layouts; they can also be enhanced to improve the user experience. Business insights can be obtained using in-built data analysis capabilities and analytics engines such as IBM Watson.

► COMPLIANCE AND INFORMATION LIFECYCLE MANAGEMENT

Columbus has an integral information lifecycle management capability that ensures compliance with corporate data retention requirements, including legal hold, through the application of retention rules. Sensitive data can be redacted for security or compliance reasons.

► PERFORMANCE

The Columbus content repository is an enterprise-scalable product designed to hold billions of data records, documents, images and other unstructured content, for instant access by many thousands of users. Efficient data compression rates eliminate redundancy and permit highly efficient storage and access.

► RISK MANAGEMENT

SoftLanding's decommissioning process minimizes risk and ensures continuity by focusing on the information requirements of business users; this approach also avoids the need for long-term access to legacy IT skills or application knowledge. The same process has been used successfully by companies in different industries around the world to decommission a vast range of bespoke and packaged software applications.

► LOW TOTAL COST OF OWNERSHIP

SoftLanding's agile and repeatable eight-step process is designed to complete decommissioning projects quickly. In combination with a cost-effective licensing model and a lightweight architectural footprint this delivers a rapid return on investment and a low total cost of ownership. SoftLanding also offers skills transfer so that customers can undertake their own decommissioning projects using the same process.

Due to efficient performance, a single Columbus instance will typically meet an organization's entire decommissioning requirement. Data from hundreds or even thousands of decommissioned applications can be housed on a low-cost hardware platform such as a Windows server. As with all major hardware platforms it is also possible to reuse existing hardware that may be available within the business.

The Columbus content repository is a standalone system that does not require a database or other third-party software. Once an application has been decommissioned there are no extra costs downstream – to access or rebuild the data, for example. The Columbus software is self-managing and does not require a database administrator to maintain the system.

► SECURITY

User authentication

Columbus handles user authentication through its in-built security model and integrates with external authentication systems including Active Directory, LDAP and SAML-compatible systems to provide enhanced mechanisms such as multi-factor authentication and biometrics.

User access rights

Access can be tightly controlled, right down to individual data field level, for different users and groups.

Data segregation

Columbus enables data to be stored in multiple physical locations and on multiple storage media, with access controlled and monitored centrally.

Data security

The decommissioned data is stored in a compressed and encrypted format as standard. Security can be further enhanced through industry standard AES encryption and the use of tamper-proof storage hardware.

THE SOFTLANDING DIFFERENCE

SoftLanding provides a secure and cost-effective environment for retaining legacy data from any business application that needs to be retired.

With over fifteen years' experience in undertaking decommissioning projects of all sizes, our product consultants have a track record second to none. The company has a uniquely business-focused approach to decommissioning which is designed to meet the customer's long-term operational and regulatory compliance requirements. All projects have been delivered on time and on budget, with customers achieving savings of up to seven figures. SoftLanding's professional services team provides expert guidance throughout the decommissioning process, including skills transfer for customers who choose to become fully self-sufficient.

Columbus is a scalable and flexible software solution, that supports archiving of documents as well as data. The Columbus software is certified for SAP® document and data archiving, including SAP NetWeaver Information Lifecycle Management (ILM). The Columbus suite also meets a wide range of enterprise information management requirements in addition to application decommissioning. SoftLanding customers can use their Columbus system to deliver extra business value in areas such as:

- Customer communications management
- Order to cash processes, including eInvoicing, eBilling and credit management
- GDPR compliance
- Customer service and electronic presentment
- Enterprise content management

For more information about SoftLanding application decommissioning solutions please visit www.softlanding.com/decommissioning



Why SoftLanding?

SoftLanding is a division of UNICOM® Global, specializing in application lifecycle management problem and incident management, enterprise information management, automated operations, and performance management solutions for the IBM i, System i, iSeries and AS/400 platform.

SoftLanding's application lifecycle management solution defines and supports repeatable procedures for developing, deploying and maintaining IBM i, web and multi-platform applications, across the entire software development lifecycle (SDLC).

The company's enterprise information management solution releases the power of digital communications through web, mobile, and email channels, without changing IT systems and IBM i applications.

SoftLanding's automated operations and performance management solutions keep core business systems running at optimum levels and prevent unplanned application downtime. Menu management solutions are also available, offering efficient, secure, flexible, and standardized access to corporate business applications running on IBM i.

SoftLanding's IBM i products and solutions are commercially available through UNICOM Global's UNICOM Systems and Macro 4 divisions.

For more information on SoftLanding products and services visit www.softlanding.com.

© Copyright 1990 - 2019 All Rights Reserved. Macro 4 Limited - a division of UNICOM Global.

UNICOM® Systems, Inc. UNICOM Plaza Suite 310, 15535 San Fernando Mission Blvd., Mission Hills, CA. 91345 USA



T: +1 818 838 0606
E: info@unicomsi.com
W: www.softlanding.com



T: +44 (0)1293 872000
E: softlanding.uk@macro4.com
W: www.macro4.com/softlanding